

U N A | The Weatherproof LED Luminaire.




U N A

The Weatherproof LED Luminaire.


COMPACT DESIGN TO OPTIMIZE EVERY SPACE

68 CM



WATER RESISTANT

AND TO ANY ATMOSPHERIC AGENTS



LONG-LASTING QUALITY

THANKS TO THE HIGH-RESISTANCE
POLYCARBONATE BODY AND
MAXIMUM LIGHT DIFFUSION

150 CM

120 CM

60 CM


3 DIFFERENT LENGTHS

TO COVER EVERY
LIGHTING REQUIREMENTS



QUICK RELEASE SYSTEM

THE LATCH OF THE WATERPROOF CEILING
LIGHT ENSURES A SECURE AND QUICK
FASTENING, PROVIDING VERSATILE
INSTALLATION OPTIONS.



A COMPLETE RANGE

THANKS TO THE FOUR
PRODUCT VERSIONS:
ON/OFF, LINEAR,
EMERGENCY AND DALI






MADE IN ITALY

POWER CONSUMPTION

19W 37W 51W

POWER SUPPLY

230V



GENERAL FEATURES

PROTECTION DEGREE IP66	IP66
IK	09
WEIGHT	600-1000-1350 GR
DIMENSIONS	600-1200-1500 X70X64 CM

LIGHTING FEATURES

LED TYPE	2835
CHROME YIELD	SDCM <3
RG	0
FLOW MAINTENANCE	90% 80000H (L90B10)
LUMINOUS FLUX TOLERANCE	=+/- 7%

ELECTRICAL FEATURES

WATT	19W - 37W - 51W
CONSUMPTION TOLERANCE	=+/- 7%
LIGHT SOURCES	72 - 152 - 212

POWER SUPPLY	230V
DIMMABLE	DALI
POWER FACTOR	0,9
MAINTENANCE INDEX	95

MATERIAL FINISHES

BODY	POLYCARBONATE
CABLE	GLAND NYLON
FINISH	RAL9003

SCREEN	OPAL POLYCARBONATE DIFFUSER
--------	-----------------------------

TEMPERATURES

STORAGE FROM	FROM -35°C TO +80°C
OPERATION FROM	FROM -35°C TO +50°C

RELIABILITY	UP TO 7-YEARS WARRANTY
--------------------	-------------------------------

RECYCLABILITY	95%
----------------------	------------



UNA ON/OFF

The Made in Italy weatherproof LED luminaire UNA has been designed to deliver excellent and durable performance in any indoor or outdoor environment.

AVAILABLE PRODUCTS / 60CM

CODE	CCT	BEAM	LUMEN		DESCRIPTION
			NOMIN	OUTPUT TA°=25	
SYMMETRICAL					
STUN60018TC	3000K	130°	3456 LM	2624 LM	STAGNA UNA 60CM 18W IP66 2624LM 3000K
STUN60018TN	4000K	130°	3672 LM	2915 LM	STAGNA UNA 60CM 18W IP66 2915LM 4000K
STUN60018TF	6500K	130°	3888 LM	3170 LM	STAGNA UNA 60CM 18W IP66 3170LM 6500K

AVAILABLE PRODUCTS / 120CM

CODE	CCT	BEAM	LUMEN		DESCRIPTION
			NOMIN	OUTPUT TA°=25	
SYMMETRICAL					
STUN120035TC	3000K	130°	6563 LM	5289 LM	STAGNA UNA 120CM 35W IP66 5289LM 3000K
STUN120035TN	4000K	130°	6895 LM	5447 LM	STAGNA UNA 120CM 35W IP66 5447LM 4000K
STUN120035TF	6500K	130°	7245 LM	5721 LM	STAGNA UNA 120CM 35W IP66 5721LM 6500K

AVAILABLE PRODUCTS / 150CM

CODE	CCT	BEAM	LUMEN		DESCRIPTION
			NOMIN	OUTPUT TA°=25	
SYMMETRICAL					
STUN150055TC	3000K	130°	8965 LM	7645 LM	STAGNA UNA 150CM 55W IP66 7645LM 3000K
STUN150055TN	4000K	130°	9626 LM	8114 LM	STAGNA UNA 150CM 55W IP66 8855LM 6500K
STUN150055TF	6500K	130°	10560 LM	8855 LM	STAGNA UNA 150CM 55W IP66 8114LM 4000K

UNA DALI

The Made in Italy weatherproof LED luminaire UNA has been designed to deliver excellent and durable performance in any indoor or outdoor environment.

AVAILABLE PRODUCTS / 60CM

CODE	CCT	BEAM	LUMEN		DESCRIPTION
			NOMIN	OUTPUT TA°=25	
SYMMETRICAL					
STUN60018TCD	3000K	130°	3456 LM	2624 LM	STAGNA UNA 60CM 18W IP66 2624LM 3000K DALI
STUN60018TND	4000K	130°	3672 LM	2915 LM	STAGNA UNA 60CM 18W IP66 2915LM 4000K DALI
STUN60018TFD	6500K	130°	3888 LM	3170 LM	STAGNA UNA 60CM 18W IP66 3170LM 6500K DALI

AVAILABLE PRODUCTS / 120CM

CODE	CCT	BEAM	LUMEN		DESCRIPTION
			NOMIN	OUTPUT TA°=25	
SYMMETRICAL					
STUN120035TCD	3000K	130°	6563 LM	5289 LM	STAGNA UNA 120CM 35W IP66 5289LM 3000K DALI
STUN120035TND	4000K	130°	6895 LM	5447 LM	STAGNA UNA 120CM 35W IP66 5447LM 4000K DALI
STUN120035TFD	6500K	130°	7245 LM	5721 LM	STAGNA UNA 120CM 35W IP66 5721LM 6500K DALI

AVAILABLE PRODUCTS / 150CM

CODE	CCT	BEAM	LUMEN		DESCRIPTION
			NOMIN	OUTPUT TA°=25	
SYMMETRICAL					
STUN150055TCD	3000K	130°	8965 LM	7645 LM	STAGNA UNA 150CM 55W IP66 7645LM 3000K DALI
STUN150055TND	4000K	130°	9626 LM	8114 LM	STAGNA UNA 150CM 55W IP66 8114LM 4000K DALI
STUN150055TFD	6500K	130°	10560 LM	8855 LM	STAGNA UNA 150CM 55W IP66 8855LM 6500K DALI

UNA EMERGENZA

The Made in Italy weatherproof LED luminaire UNA has been designed to deliver excellent and durable performance in any indoor or outdoor environment.

AVAILABLE PRODUCTS / 60CM

CODE	CCT	BEAM	LUMEN		DESCRIPTION
			NOMIN	OUTPUT TA°=25	
SYMMETRICAL					
STUN60018TCE	3000K	130°	3456 LM	2624 LM	STAGNA UNA 60CM 18W IP66 2624LM 3000K EMERG
STUN60018TNE	4000K	130°	3672 LM	2915 LM	STAGNA UNA 60CM 18W IP66 2915LM 4000K EMERG
STUN60018TFE	6500K	130°	3888 LM	3170 LM	STAGNA UNA 60CM 18W IP66 3170LM 6500K EMERG

AVAILABLE PRODUCTS / 120CM

CODE	CCT	BEAM	LUMEN		DESCRIPTION
			NOMIN	OUTPUT TA°=25	
SYMMETRICAL					
STUN120035TCE	3000K	130°	6563 LM	5289 LM	STAGNA UNA 120CM 35W IP66 5289LM 3000K EMER.
STUN120035TNE	4000K	130°	6895 LM	5447 LM	STAGNA UNA 120CM 35W IP66 5447LM 4000K EMER.
STUN120035TFE	6500K	130°	7245 LM	5721 LM	STAGNA UNA 120CM 35W IP66 5721LM 6500K EMER.

AVAILABLE PRODUCTS / 150CM

CODE	CCT	BEAM	LUMEN		DESCRIPTION
			NOMIN	OUTPUT TA°=25	
SYMMETRICAL					
STUN150055TCE	3000K	130°	8965 LM	7645 LM	STAGNA UNA 150CM 55W IP66 7645LM 3000K EMER
STUN150055TNE	4000K	130°	9626 LM	8114 LM	STAGNA UNA 150CM 55W IP66 8114LM 4000K EMER
STUN150055TFE	6500K	130°	10560 LM	8855 LM	STAGNA UNA 150CM 55W IP66 8855LM 6500K EMER

UNA CP

The Made in Italy weatherproof LED luminaire UNA has been designed to deliver excellent and durable performance in any indoor or outdoor environment.

AVAILABLE PRODUCTS / 60CM


CODE	CCT	BEAM	LUMEN		DESCRIPTION
			NOMIN	OUTPUT TA°=25	
SYMMETRICAL					
STUN60018XC	3000K	130°	3456 LM	2624 LM	STAGNA UNA 60CM 18W IP66 2624LM 3000K SER.
STUN60018XN	4000K	130°	3672 LM	2915 LM	STAGNA UNA 60CM 18W IP66 2915LM 4000K SER.
STUN60018XF	6500K	130°	3888 LM	3170 LM	STAGNA UNA 60CM 18W IP66 3170LM 6500K SER.

AVAILABLE PRODUCTS / 120CM

CODE	CCT	BEAM	LUMEN		DESCRIPTION
			NOMIN	OUTPUT TA°=25	
SYMMETRICAL					
STUN120035XC	3000K	130°	6563 LM	5289 LM	STAGNA UNA 120CM 35W IP66 5289LM 3000K SER.
STUN120035XN	4000K	130°	6895 LM	5447 LM	STAGNA UNA 120CM 35W IP66 5447LM 4000K SER.
STUN120035XF	6500K	130°	7245 LM	5721 LM	STAGNA UNA 120CM 35W IP66 5721LM 6500K SER.

AVAILABLE PRODUCTS / 150CM

CODE	CCT	BEAM	LUMEN		DESCRIPTION
			NOMIN	OUTPUT TA°=25	
SYMMETRICAL					
STUN150055XC	3000K	130°	8965 LM	7645 LM	STAGNA UNA 150CM 55W IP66 7645LM 3000K SER.
STUN150055XN	4000K	130°	9626 LM	8114 LM	STAGNA UNA 150CM 55W IP66 8114LM 4000K SER.
STUN150055XF	6500K	130°	10560 LM	8855 LM	STAGNA UNA 150CM 55W IP66 8855LM 6500K SER.



 **PLAYLED**

PLAYLED IS A BRAND OF **INGEGNERIE MECCANICHE ITALIANE S.R.L.**

ITALIAN MANUFACTURERS OF LIGHTING PRODUCTS